



PRODUKTDEKLARATION

LJUDABSORPTIONSAREA FÖR OBJEKT

Mätt och utvärderad enligt ISO 354 och ISO 20189


Producent:	Glimakra Of Sweden
Objekt:	Wakufuru
Storlek [mm]:	w=1700 h=800 d=2000

Ekvivalent ljudabsorptionsarea per objekt (m² Sabine)

f(Hz)	Tersband	Oktavband
50	0.10	
63	0.06	0.10
80	0.24	
100	0.43	
125	0.43	0.40
160	0.22	
200	0.65	
250	0.59	0.70
315	0.76	
400	1.41	
500	2.04	2.00
630	2.40	
800	2.25	
1000	2.32	2.20
1250	2.05	
1600	2.08	
2000	1.89	1.90
2500	1.83	
3150	1.40	
4000	1.44	1.40
5000	1.24	

$N_{10} = 7.4$

Ekvivalent ljudabsorptionsarea per objekt



ORIGINAL TESTRAPPORT	RAPPORTDATUM
16-213-M17	2016-09-30

